

# DECLARATION OF PERFORMANCE



Tradesmith Ltd  
Unit 8 Station Road Industrial Estate, Station Road, Hailsham  
East Sussex. BN27 2EY. UK

2013

DoP No: 003 12/03/13

**B Rated Pvc-u Residential & French Doors, intended for use in domestic or commercial refurbishment or new building applications.**

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

Watertightness: NPD

Dangerous substances: none released under normal indoor use.

Resistance to wind load: NPD

Impact resistance (glazed doors with injury risk only): NPD

Load-bearing capacity of safety devices: not fitted

Height and width (clear opening): NPD

Ability to release (locked doors on escape routes only): Emergency exit panic hardware complies with EN1125 when fitted (1)

Acoustic performance: NPD

Thermal transmittance:  $\leq 1.0 \text{ W/m}^2\text{K}$  (2)

Radiation properties: NPD

Air Permeability: NPD

(1) Continuous surveillance of Factory production Control (FPC) in compliance with AVCP System 1 as per annex ZA.2 of BS EN 14351-1:2006+A1:2010 by BSI, Notified Test Body No. [ ]

For all other essential characteristics, Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per annex ZA.2 of BS EN 14351-1:2006+A1:2010.

(2) Thermal transmittance calculation approved by BFRC, Notified Test Body No. 021, Ref report No. DSER210 dated 17/05/12

M. HUTCHINSON

Name (Print)

Hobson

Signed